



BASEBALL SPECS

Fast Turnaround USA Manufacturer Direct

Screening – outfield fence, bleacher, dugout, batter's eye

Padding – fence, wall, backstop, dugout railing, post

Netting – safety, backstop, batting cages

Ask about our exclusive direct print option – for affordable, great looking logos. 20 years baseball & softball stadium experience.

Custom fabricate to your stadium's unique dimensions.



**5 Year
'No Fade'
Print Warranty**

Call Now For Quote

(800) 594 0744

6463 Waveland St, Unit A, Hammond, IN 46320
Phone: Sales: (800) 594 0744 | Fax: (847) 277 1137



Midwest Cover Inc. is a USA manufacturer with over 20 years experience. We deliver top quality materials to your exact specifications. Expert printing available. 5 year 'No Fade' Print warranty.

Permascreen 80 Baseball Windscreen

Batter's Eye



Permascreen 80 is the most durable batters' eye material available. Custom fabricated to any size, this fabric is the choice of many professional stadiums and spring training facilities

Outfield Fence



We fabricate the world's most durable vinyl coated polyester windscreen to fit any area of your baseball facility. Four-ply reinforced hems with brass grommets on all sides ensure long lasting durability.

Expert Logos



Digital or direct printing option. Full color digital process allows for any design creative. Affordable and durable direct printing yields expert lettering and logo designs.

Permascreen 80 from Midwest Cover is a weather tough vinyl coated polyester. It's our most durable and popular baseball screen. Make even simple logo designs stand out on 10 + color choices.

- ▶ Fabric: Vinyl Coated Polyester
- ▶ VCP: Open - 9 x 12 Weave
- ▶ Opacity: 80%
- ▶ Weight: 9.0 oz. per square yd.
- ▶ Tensile Strength:

Grab: 230 lbs. x 200 lbs. Strip: 200 lbs. x 140 lbs

- ▶ Fabrication: Three ply, reinforced hems on all sides with #2 brass grommets placed in 18" intervals.



CALL US FOR A QUOTE 800.594.0744 VISIT US ONLINE MIDWESTCOVER.COM
© 2020 Midwest Cover, Inc. | 6463 Waveland Avenue, Unit A Hammond, IN 46320
info@midwestcover.com



Midwest Cover Inc. is a USA manufacturer with over 20 years experience. We deliver top quality materials to your exact specifications.

INDOOR & OUTDOOR ATHLETIC PADDING

Custom Fabrication



Panels shall consist of 3 inch thick polyurethane foam glued to a 3/4 inch treated plywood backer and covered with an 18 oz. vinyl covering. Vinyl cover shall be coated UV polyester fabric.

- Vinyl to have average weight of 18 oz. per square yard.
- Vinyl breaking strength is 450 PSI.
- Vinyl tear resistance is 85 pounds.

Vinyl to be resistant to rot, mildew, fungus, and ultraviolet light. Panel front and edges shall be vinyl wrapped and securely stapled to the wood backer so that the backer is not exposed on front or sides. Weep holes in bottom of pads for drainage.



CALL US FOR A QUOTE **800.594.0744** VISIT US ONLINE MIDWESTCOVER.COM

© 2020 Midwest Cover, Inc. | 6463 Waveland Avenue, Unit A Hammond, IN 46320 | info@midwestcover.com



6463 Waveland Street, Unit A, Hammond, IN 46320
Phone: 800.594.0744 | Fax: 847.277.1137 | www.midwestcover.com

SAFETY TOP RAIL PADDING



Product Specifications

- ▶ Professional Grade
- ▶ 1" thick, 100 ILD, 2 lb., closed cell foam, completely encapsulated in 18oz. UV treated solid vinyl
- ▶ 1½" reinforced lips with #2 brass grommets placed every 6"

Quality padding by Midwest Cover makes sure your baseball facility is safe and looks its best. Our complete line of baseball padding products include top rail padding, baseball rail padding, outfield padding, dugout padding, and fence padding.



CALL US FOR A QUOTE **800.594.0744**



6463 Waveland Street, Unit A, Hammond, IN 46320
Phone: 800.594.0744 | Fax: 847.277.1137 | www.midwestcover.com

#36 BASEBALL NETTING



Product Specifications

- ▶ Baseball netting best used to maximum abuse, abrasion and impact, to be fabricated from a minimum #36 nylon fiber, 1 3/4" square mesh, weather treated with flexabar ultraviolet resistant coating.
- ▶ Netting shall be black, knotted nylon, with a break test of 345 pounds per strand.
- ▶ Entire perimeter of netting to be bound with 3/8" braided polypropylene rope.

Midwest Cover designs and manufactures baseball netting products and applications to keep your players, spectators and surrounding property safe. Items such as batting cages, pitching cages, foul ball netting and outfield netting.



CALL US FOR A QUOTE **800.594.0744**



6463 Waveland Street, Unit A , Hammond, IN 46320
Phone: 800.594.0744 | Fax: 847.277.1137 | www.midwestcover.com

#42 BASEBALL NETTING



Product Specifications

- ▶ Baseball netting best used to maximum abuse, abrasion and impact, to be fabricated from a minimum #42 nylon fiber, 1 3/4" square mesh, weather treated with flexabar ultraviolet resistant coating.
- ▶ Netting shall be black, knotted nylon, with a break test of 375 pounds and a burst test of 435 pounds.
- ▶ Entire perimeter of netting to be bound with 3/8" braided polypropylene rope.

Midwest Cover designs and manufactures baseball netting products and applications to keep your players, spectators and surrounding property safe. Items such as batting cages, pitching cages, foul ball netting and outfield netting.



CALL US FOR A QUOTE **800.594.0744**



Midwest Cover Inc. is a USA manufacturer with over 20 years experience. We deliver top quality materials to your exact specifications.

Standard Fence Guard

Safety & Visibility



Features:

- professional teardrop shaped profile
- easy to install with just one person
- 8' long sections
- exterior grade UV-resistant polyethylene construction
- maintenance free and is designed to be the longest lasting fence cap available
- pre-drilled every 24" and includes ties for securing to the fence
- measures 2 5/8"W x 4"T x 8'L x .07" wall thickness
- available in yellow, forest green, red, orange, white, and blue (please specify above)
- sold in cartons of 80'
- priced per 80 ft. carton
- 3-year limited warranty

Product Specification:

Color: Yellow, Forest Green, Red, Blue, Orange, or White

Fits: On Top of Fencing

Material: Polyethylene Size: 2 5/8"W x 4"T x 8'L x .07" Sold As: 80' Carton

Thickness: .07" Wall Thickness



800-594-0744 | midwestcover.com | info@midwestcover.com

Safety Top Cap



Description:

Protects players from injury, provides enhanced field appearance, and acts as a visual warning for outfielders approaching the fence.



6463 Waveland Street, Unit A, Hammond, IN 46320
Phone: 800.594.0744 | Fax: 847.277.1137 | www.midwestcover.com

Poly-Cap



Product Specifications

- ▶ available in the trademarked bright "safety" yellow, black or forest green
- ▶ available in 100' or 250' rolls
- ▶ manufactured with the thickest wall creating unequalled durability
- ▶ weather-treated and UV protected
- ▶ 4½" diameter polyethylene construction will offer years of protection
- ▶ it is recommended to secure Poly-Cap with optional matching ties every 3 feet, see item #01649
- ▶ limited 2-year warranty
- ▶ completely recyclable

Poly-Cap is an inexpensive way to add safety, reduce player injuries, increase visibility, and beautify any field. Poly-Cap is the original fence cap and still the best! Compare Poly-Cap to the competition and you will find it to be 20% thicker! Be cautious with thinner-walled materials that have a more dull and pale appearance; sunlight will penetrate easier and become brittle & deteriorate much quicker. Please note: the black color is NOT a standard black drain tile, it contains special UV inhibitors to protect it from deterioration from the sun, however these darker colors (black & forest green) are more susceptible to sun damage as opposed to the original yellow color.

250' rolls have shipping dimensions of 64" x 64" x 25" and weigh 85 lbs per roll.
100' rolls have shipping dimensions of 44" x 44" x 27" and weigh 35 lbs per roll.



CALL US FOR A QUOTE 800.594.0744